Australian Standard™

Sampling procedures for inspection by attributes

Part 3: Skip-lot sampling procedures



This Australian Standard was prepared by Committee QR-008, Quality Systems. It was approved on behalf of the Council of Standards Australia on 28 May 2003 and published on 28 July 2003.

The following are represented on Committee QR-008:

Australian Chamber of Commerce and Industry

Australian Industry Group

Australian Information Industry Association

Australian Institute of Petroleum

Australian Organisation for Quality

Bureau of Steel Manufacturers of Australia

Certification Bodies (Australia)

Commonwealth Department of Transport and Regional Services

Department of Agriculture, Fisheries and Forestry (Commonwealth)

Department of Defence (Australia)

Department of Industry Science and Resources (Commonwealth)

Federal Chamber of Automotive Industries

Institute of Materials Engineering Australasia

Institution of Engineers Australia

Main Roads Department, Queensland

Master Builders Australia

Quality Society of Australasia

Royal Australian Chemical Institute

Additional interests participating in the preparation of this Standard:

Australian Quality Council

CSIRO Mathematical and Information Services

Macquarie University

National Association of Testing Authorities Australia

Queensland University of Technology

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

AS 1199.3—2003

Australian Standard™

Sampling procedures for inspection by attributes

Part 3: Skip-lot sampling procedures

First published as AS 1199.3—2003.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher

Published by Standards Australia International Ltd GPO Box 5420, Sydney, NSW 2001, Australia ISBN 0 7337 5437 6

PREFACE

This Standard was prepared by the Standards Australia Committee QR-008, Quality Systems.

This Standard is identical with, and has been reproduced from ISO 2859-3:1991, Sampling procedures for inspection by attributes, Part 3: Skip-lot sampling procedures.

The objective of this Standard is to specify general attribute skip-lot sampling procedures for reducing the inspection effort on products submitted by those suppliers who have demonstrated their ability to control, in an effective manner, all facets of quality and who consistently produce lots which meet requirements.

As this Standard is reproduced from an international Standard, the following applies:

- (a) Its number appears on the cover and title page while the international Standard number appears only on the cover.
- (b) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

| Reference to International Standard | | Australian Standard | |
|-------------------------------------|--|---------------------|--|
| ISO | | AS | |
| 2859 | Sampling procedures for inspection by attributes | 1199 | Sampling procedures for inspection by attributes |
| 2859-1 | Part 1: Sampling plans indexed by acceptable quality level (AQL) for lot-by-lot inspection | 1199.1 | Part 1: Sampling plans indexed by acceptable quality level (AQL) for lot-by-lot inspection |

Only International Standard referenced documents identical to Australian Standards have been listed.

The terms 'normative' and 'informative' are used to define the application of the annex to which they apply. A normative annex is an integral part of a standard, whereas an informative annex is only for information and guidance.

The International Organization for Standardization's Committee TC 69 is currently in the process of updating the ISO 2859 series to bring the older documents into line with Parts 1 and 4. Where any inconsistency arises between the sections of this series of Standards, the more recently published document will apply.

CONTENTS

| | P | age |
|------|--|-----|
| 1 | Scope | 1 |
| 2 | Normative references | 2 |
| 3 | Definitions | 2 |
| 4 | Supplier and product qualification | 2 |
| 4.1 | Supplier qualification | 2 |
| 4.2 | Product qualification | 2 |
| 4.3 | Example of product qualification | 3 |
| 5 | Skip-lot procedures | 3 |
| 5.1 | Determining the initial skip-lot inspection frequency | 3 |
| 5.2 | Examples of initial frequency determination | 5 |
| 5.3 | Reducing the frequency of inspection | 6 |
| 5.4 | Lot selection and inspection procedures (States 2 and 3) | 6 |
| 5.5 | Interrupt procedures | 11 |
| 5.6 | Requalification procedures | 11 |
| 5.7 | Disqualification | 11 |
| 6 | Supplier responsibilities | 11 |
| 7 | Inspection agency and responsible authority responsibilities | 12 |
| 8 | Characteristics of the skip-lot procedures | 12 |
| Tab | les | |
| 1 | Minimum cumulative sample size to initiate skip-lot inspection | 4 |
| 2 | Acceptance numbers to initiate, continue or resume skip-lot | _ |
| | inspection | 5 |
| Figu | ıres | |
| 1 | Basic structure of the skip-lot procedures | 7 |
| 2 | Determination of the initial skip-lot inspection frequency | 8 |
| 3 | Flowchart for the skip-lot procedures 9- | 10 |
| Ann | exes | |
| A | Summary of the options to be agreed prior to qualification (see 1.2) | 13 |



| | This is a free preview. | Purchase the e | entire publication | at the link below: |
|--|-------------------------|----------------|--------------------|--------------------|
|--|-------------------------|----------------|--------------------|--------------------|

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation